




अखिल भारतीय तकनीकी शिक्षा परिषद्  
ALL INDIA COUNCIL FOR TECHNICAL EDUCATION  
(भारत सरकार का एक सांविधिक निकाय) (A STATUTORY BODY OF THE GOVT. OF INDIA)

F.No. : 730-50-288(E)/ET/98  
09<sup>th</sup> June, 2005

To

The Secretary Technical Education  
Govt. of Andhra Pradesh,  
A.P. Govt. Secretariat,  
Hyderabad – 500 028



Sub: Extension of approval to **SRI SARATHI INSTITUTE OF ENGINEERING & TECHNOLOGY, NUZIVID, NUZIVID MANDAL KRISHNA DIST. - 521 201** for the year 2005-06-reg.

Sir,

As you are aware, **All India Council for Technical Education** has been mandated under the AICTE Act, 1987 to ensure **maintenance of norms and standards** with regard to technical education in the country. In exercise of this mandate, the Council insists on fulfillment of the minimum requirements prescribed for imparting technical education by the institution so that **quality** is not compromised and stakeholders are satisfied. The Council also undertakes an **annual Inspection** of the institutions and conveys deficiencies to them for **rectification**.

It has been observed however that notwithstanding the Council's **repeated advice** to comply with minimum norms and standards, many institutions continue to be **complacent** about taking steps to remedy the deficiencies. Such institutions suffer from **critical deficiencies** of faculty and other requirements. Feedback of students with regard to quality of education imparted by such institutions has evoked grave concern. The Expert Committees, following **holistic appraisal** during inspections, have also pointed out severe shortcomings in key areas.

Your institution has several deficiencies, which are listed in **Annexure-A** for your perusal. These deficiencies have rendered the institution liable for strict punitive action. However, the Council has decided to take a lenient view and put only the course(s) which suffer from the most critical deficiency i.e. **shortage of faculty** in the reduced intake category. The approved course(s) along with recommended intake for the year 2005-06 in respect of **SRI SARATHI INSTITUTE OF ENGINEERING & TECHNOLOGY, NUZIVID, NUZIVID MANDAL KRISHNA DIST. - 521 201** is as under:-

COURSE (S)	APPROVED INTAKE 2004-05	APPROVED INTAKE 2005-06
COMPUTER SC & ENGG	90	90
ELECTRICAL & ELECTRONICS ENGG	90	90
ELECTRONICS & COMM ENGG	120	120
INFORMATION TECHNOLOGY	60	00
MECHANICAL ENGG.	60	60
<b>TOTAL</b>	<b>420.</b>	<b>360.</b>

**Note:- Additional intake / new courses / PIO quota not granted on account of deficiencies in running of existing courses with existing sanctioned intake (wherever applicable).**

The Council is committed to facilitating the institutions to come up to the expectations of the stakeholders through rectification of deficiencies. It has therefore been decided by the Council to give yet another opportunity to **rectify** at least the deficiency of faculty irrespective of the cadre ratio for consideration of restoration of UG course(s) in Engineering & Technology / Pharmacy / MBA and MCA. However, for restoration of intake at PG level in Engineering & Technology and Pharmacy, a minimum of one faculty with Ph.D. qualification and two with postgraduate qualifications in the respective discipline would be essential.

In case the institution is able to recruit the required faculty for individual course and intimate the Council regarding the same in the **enclosed Proforma (with a copy to the concerned Regional Office)** latest by 7<sup>th</sup> July, 2005, the Council would favorably consider proportionately restoring intake in course(s) where it has been reduced as soon as the appeal is received by the Council,

Please note that the Council may independently verify the factual status in respect of recruitment of faculty. The institution shall be liable for strict action including action under the relevant provisions of Indian Penal Code in case false information is furnished to the Council on recruitment of faculty.

It may also be noted that relaxation in respect of rectification of deficiencies in terms of faculty is applicable only for the purpose of **restoration of intake** for the academic year 2005-06. All other deficiencies including appointment of faculty have to be complied with by 31/08/2005 for extension of approval for the year 2006-07.

A compliance report indicating rectification of **all the deficiencies** including details of faculty recruited for each course must be received by the Council latest by 31<sup>st</sup> August, 2005 to entitle your institution for extension of approval for the year 2006-07. The compliance report must be accompanied with a visiting/processing fee as prescribed by the Council in the form of a demand draft in favour of Member Secretary, AICTE payable at New Delhi. In the absence of the processing / visiting fee, the compliance report may not be entertained.

Following the compliance report, the Council would verify the status in respect of rectification of deficiencies through physical inspection without any prior intimation. The institution should therefore be prepared for random inspection without any prior notice. Extension of approval for the year 2006-07 shall be dependent on the compliance report and the outcome of the surprise inspection.

**Enclosure:- Annexure-A**

Yours faithfully



(Dr. P. Venkateswara Rao)  
Adviser (UG/ PG)

**Copy to :**

1. The Principal,  
SRI SARATHI INSTITUTE OF ENGINEERING & TECHNOLOGY,  
NUZIVID, NUZIVID MANDAL KRISHNA DIST. - 521 201
2. The Regional Officer, AICTE SRO, 26, Haddows Road, Shastri Bhawan, Chennai - 600 006.

- 3. The Commissioner of Tech. Education Govt. of Andhra Pradesh, 5th Floor, BRKR Govt. Complex, Hyderabad - 500 063.
- 4. The Registrar, JAWAHARLAL NEHRU TECHNOLOGICAL UNIVERSITY.  
(He is requested to complete the process of affiliation for facilitating admissions.)
- 5. Guard File (UG / PG).

Note: a) The institute was found to be having deficiencies in respect of eligible faculty and the cadre ratio as per AICTE norms in other existing programmes also. However, in view of the Policy of the Council to relax 25% faculty requirement for the academic year 2005-06, the existing intake was not reduced. You are required to fulfill the faculty requirement as per norms by 31<sup>st</sup> August 2005 and submit the compliance for the same (where ever applicable).

b) The calculation of required faculty strength for every course is based on 1:15 ratio of the total sanctioned intake for Pharmacy, MBA, MCA, HMCT and B.F.A. However, for the Engg. Courses, intake of first year have been exempted where the faculty for basic sciences and humanities is expected to teach (Calculation is based on total sanctioned intake from IInd year to IVth year).

u

**Annexure- 'A'**

Name & Address of the Institution	Programme
<p><b>File No. : 730-50-288(E)/ET/98</b></p> <p><b>SRI SARATHI INSTITUTE OF ENGINEERING &amp; TECHNOLOGY</b>            NUZIVID, NUZIVID MANDAL KRISHNA DIST. - 521 201</p>	<p>Degree Engineering &amp; Technology</p>

➤ **Faculty :**

- ❖ Faculty is the soul of an institution and in the absence thereof as institute cannot impart quality education. However, the faculty position in your institution (irrespective of the cadre ratio) is as follows :
  - ✓ There is a shortfall of 14 faculty members (47%) in the department of Computer Sc. & Engg. & Information Technology as only 16 are available against a requirement of 30.
  - ✓ There is a shortfall of 4 faculty members (20%) in the department of Electronics & Comm. Engg. as only 16 are available against a requirement of 20.
- ❖ The Principal is not qualified as per AICTE norms.
- ❖ All faculty members are being paid consolidated salaries. AICTE pay scales are not implemented.
- ❖ There is a shortfall in Senior level faculty as per AICTE norms.

➤ **Built up area :**

- ❖ There is a shortfall of 795 sq. mt. in the built up area as only 15,795 sq. mt. against a requirement of 15,000 sq. mt.

➤ **Computer Facility :**

- ❖ There is 100% shortfall in LAN/WAN facility.

➤ **Library Facility :**

- ❖ There is a shortfall of 29 journals as only 31 are available against a requirement of 60 Journals.

➤ **Others :**

- ❖ No Placement Cell is available.
- ❖ Quality of furniture in all halls and drawing hall is not good.